



Rimlocks



ASSA ABLOY

ASSA ABLOY, the global leader
in door opening solutions

Contents

Introduction	1
001 Double Cylinder Deadlatch	2 - 3
001 Double Cylinder Deadlatch with Lever	4 - 5
002 Single Cylinder Deadlatch	6 - 7
002 Single Cylinder Deadlatch with Lever	8 - 9
Deadlatch Accessories	10
355 Deadlock	11
303 Deadlock	12
Deadlock Accessories	13
507 Series Nightlatch	14
509 Series Nightlatch	15
201 Nightlatch	16
100 Nightlatch	17
211 Streamlatch	18
200 Narrow Stile Streamlatch	19
213 Streamlock Deadbolt	20
201 Brass Cylinder	20
Keying Product Codes	21

Designed in Australia, the Lockwood Rimlock range is manufactured according to stringent quality specifications to provide an outstanding range of security solutions for both the commercial and residential markets.

Deadlatches

The market leading deadlatch range from Lockwood has been tested in accordance with AS4145.2 - 1993, offering exceptional performance and reliability.

The Safety Release function was pioneered with the 001 deadlatch to automatically unlock the inside knob upon entry, thus minimising the risk of being locked in, in the case of an emergency.

The LockAlert® feature added to the latest range of 001 deadlatches allows you to see at a glance whether the inside knob is key locked.

Deadlocks

With excellent security features and traditional styling, the deadlock is ideal for use in both residential and commercial applications.

Streamlatches & Nightlatches

Popular general purpose latches operated by an inside turnknob, these ranges are available in a variety of options and styles.



001 Deadlatch with LockAlert®



355 Deadlock



201 Nightlatch

Rimlocks

001 Double Cylinder Deadlatch

The Lockwood 001 Deadlatch with **LOCKALERT** status indicator and **SAFETYRELEASE**.

Features & Specifications

- The unique **LOCKALERT** status indicator shows the lockset status at a glance
- **SAFETYRELEASE** automatically unlocks the internal knob upon entry
- High security with cut resistant stainless steel bolt, 11 concealed anchorage points and door frame strengthener
- Tested in accordance with AS4145.2 - 1993
- Bolt hold-back function activated by external key or internal knob
- Can be key locked in hold-back position by key from inside
- Can be keyed alike to other Lockwood door locks
- Available in Trade and Display Pack versions

Case:

- High purity zinc alloy

Backset:

- 60mm

Bolt:

- Stainless steel 18mm projection

Door Thickness:

- 30 to 45mm

Packers:

- 3mm thick packer plates are available. These packers are installed under lock body to align lock body with face of jamb

Cylinders:

- Internal and external 5 pin tumbler mechanism
- Brass cylinders and brass barrels.



Keying

Standard Keying:

- Supplied individually keyed with two keys per lock;
- 78,000 key combinations;
- Key blank KB2015P.

Special Keying:


- Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems
- To order, refer to page 21 for Special Keying Product Codes

Finishes

Gold Plated	GLD
Satin Chrome	SC
Bright Chrome	CP
Brown	BRN

Note: Installation video for this product can be found at lockweb.com.au

001 Double Cylinder Deadlatch



001-1K1 with Open In Strike – Single Pack

Suitable for INWARD opening timber framed doors.

Finishes and Product Codes


Finish	Trade Pack	Display Pack
Gold Plated	001-1K1GLD	001-1K1GLDDP
Satin Chrome	001-1K1SC	001-1K1SCDP
Bright Chrome	001-1K1CP	001-1K1CPDP
Brown	—	001-1K1BRNDP

001-1K2 with Open in Strike – Twin Pack

Suitable for INWARD opening timber framed doors. Keyed alike for extra convenience. Pack contains two locksets.

Finishes and Product Codes

Finish	Trade Pack	Display Pack
Gold Plated	—	001-1K2GLDDP
Satin Chrome	001-1K2SC	001-1K2SCDP
Bright Chrome	—	001-1K2CPDP




001-3K1 with Metal Frame Strike – Single Pack

Suitable for INWARD opening metal framed doors.

Finishes and Product Codes

Finish	Trade Pack
Satin Chrome	001-3K1SC



001-4K1 with Open Out Strike – Single Pack

Suitable for OUTWARD opening timber framed doors.

Finishes and Product Codes

Finish	Trade Pack
Satin Chrome	001-4K1SC

Rimlocks

001 Double Cylinder Deadlatch with Lever

The Lockwood 001 Deadlatch with **LOCKALERT** status indicator and **SAFETYRELEASE**.

Features & Specifications

- The unique **LOCKALERT** status indicator shows the lockset status at a glance
- **SAFETYRELEASE** automatically unlocks the internal knob upon entry
- Convenience of lever handle operation
- High security with cut resistant stainless steel bolt, 11 concealed anchorage points and door frame strengthener
- Tested in accordance with AS4145.2 - 1993
- Bolt hold-back function activated by external key or internal lever
- Can be key locked in hold-back position by key from inside
- Can be keyed alike to other Lockwood door locks
- Available in Trade and Display Pack versions

Case:

- High purity zinc alloy

Backset:

- 60mm

Bolt:

- Stainless steel 18mm projection

Door Thickness:

- 30 to 45mm

Packers:

- 3mm thick packer plates are available. These packers are installed under lock body to align lock body with face of jamb

Cylinders:

- Internal and external 5 pin tumbler mechanism
- Brass cylinders and brass barrels



Keying

Standard Keying:

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P



Special Keying:

- Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems
- To order, refer to page 21 for Special Keying Product Codes

Finishes

Gold Plated	GLD
Satin Chrome	SC
Bright Chrome	CP
Brown	BRN

001 Double Cylinder Deadlatch with Lever



001-1L1 with Open In Strike – Single Pack

Suitable for INWARD opening timber framed doors.

Finishes and Product Codes


Finish	Trade Pack	Display Pack
Gold Plated	—	001-1L1GLDDP
Satin Chrome	001-1L1SC	001-1L1SCDP
Bright Chrome	—	001-1L1CPDP
Brown	—	001-1L1BRNDP

001-4L1 with Open Out Strike – Single Pack

Suitable for OUTWARD opening timber framed doors.

Finishes and Product Codes

Finish	Trade Pack
Satin Chrome	001-4L1SC



001-3L1 with Metal Frame Strike – Single Pack

Suitable for INWARD opening metal framed doors.

Finishes and Product Codes

Finish	Trade Pack
Satin Chrome	001-3L1SC

Rimlocks

002 Single Cylinder Deadlatch

Features & Specifications

- High security with cut resistant stainless steel bolt, 11 concealed anchorage points and door frame strengthener
- Tested in accordance with AS4145.2 - 1993
- Bolt hold-back function activated by external key or internal knob
- Can be keyed alike to other Lockwood door locks
- Available in Trade Pack only

Case:

- High purity zinc alloy

Backset:

- 60mm

Bolt:

- Stainless steel 18mm projection

Door Thickness:

- 30 to 45mm

Packers:

- 3mm thick packer plates are available. These packers are installed under lock body to align lock body with face of jamb

Cylinders;

- 5 pin tumbler mechanism outside
- Brass cylinders and brass barrels



Keying

Standard Keying:

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Special Keying:


- Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems
- To order, refer to page 21 for Special Keying Product Codes

Finish

Satin Chrome

SC

002 Single Cylinder Deadlatch




002-1K1 with Open In Strike – Single Pack

Suitable for INWARD opening timber framed doors.

Finishes and Product Codes

Finish	Trade Pack
Satin Chrome	002-1K1SC




002-3K1 with Metal Frame Strike – Single Pack

Suitable for INWARD opening metal framed doors.

Finishes and Product Codes

Finish	Trade Pack
Satin Chrome	002-3K1SC



002-4K1 with Open Out Strike – Single Pack

Suitable for OUTWARD opening timber framed doors.

Finishes and Product Codes

Finish	Trade Pack
Satin Chrome	002-4K1SC
No Cylinder	
Satin Chrome	002-4KSCNC

Rimlocks

002 Single Cylinder Deadlatch with Lever

Features & Specifications

- High security with cut resistant stainless steel bolt, 11 concealed anchorage points and door frame strengthener
- Convenience of lever handle operation
- Tested in accordance with AS4145.2 - 1993
- Bolt hold-back function activated by external key or internal lever
- Can be keyed alike to other Lockwood door locks
- Available in Trade Pack only

Case:

- High purity zinc alloy

Backset:

- 60mm

Bolt:

- Stainless steel 18mm projection

Door Thickness:

- 30 to 45mm

Packers:

- 3mm thick packer plates are available. These packers are installed under lock body to align lock body with face of jamb

Cylinders:

- 5 pin tumbler mechanism outside
- Brass cylinders and brass barrels



Keying

Standard Keying:

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Special Keying:



- Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems
- To order, refer to page 21 for Special Keying Product Codes

Finish

Satin Chrome

SC

002 Single Cylinder Deadlatch with Lever



002-1L1 with Open In Strike – Single Pack

Suitable for INWARD opening timber framed doors.

Finishes and Product Codes


Finish	Trade Pack
Satin Chrome	002-1L1SC

001-4L1 with Open Out Strike – Single Pack

Suitable for OUTWARD opening timber framed doors.

Finishes and Product Codes

Finish	Trade Pack
Satin Chrome	001-4L1SC
No Cylinder	
Satin Chrome	001-4L1SCNC



002-3L1 with Metal Frame Strike – Single Pack

Suitable for INWARD opening metal framed doors.

Finishes and Product Codes


Finish	Trade Pack
Satin Chrome	002-3L1SC

Rimlocks

Deadlatch Accessories


Packer Plate

Finish	Trade Pack
Black	001-3254BLK




Refrofit 31mm Strike

Finish	Trade Pack
Gold Plated	001-3653GLD
Satin Chrome	001-3653SC
Bright Chrome	001-3653CP
Brown	001-3653BRN




Metal Frame Strike Pack

Finish	Trade Pack
Gold Plated	001-3053GLD
Satin Chrome	001-3053SC
Bright Chrome	001-3053CP
Brown	001-3053BRN



Outward Opening Strike

Finish	Trade Pack
Gold Plated	001-3253GLD
Satin Chrome	001-3253SC
Bright Chrome	001-3253CP
Brown	001-3253BRN



355 Deadlock

The premium security features provided by the 355 Deadlock make it an ideal lockset for both domestic and commercial applications.

Features & Specifications

- Suitable for hinged or sliding doors
- Lockable turnknob with inbuilt clutching device to resist wrench attack
- Strong interlocking case and mounting plate to resist jimmy and hammer attack
- Tested in accordance with AS4145.2-1993
- Concealed fixing
- Positive deadlocking action
- The mechanism and the design are protected by Australian and International Patents and Design Registrations
- Available in Trade and Display Pack versions

Case:

- Thick walled, high purity zinc alloy casting

Backset:

- 60mm

Bolt:

- Stainless steel

Mounting Plate & Strike:

- Pressed steel.

Case Retainer Plate & Operating Mechanism:

- Solid pressed steel and diecast;
- Zinc components.

Packing Plates:

- 3mm thick packing plates installed under lock body to align lock body with face of jamb

Strike Conversion Plate:

- A strike conversion plate is required where the strike is to be installed in place of an existing flange strike

Door Thickness:

- 30 to 45mm

Cylinders:

- Internal and external 5 pin tumbler mechanism
- Brass cylinders and barrels



Keying

Standard Keying:


- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Special Keying:

- Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems
- To order, refer to page 21 for Special Keying Product Codes

Finishes

Gold Plated	GLD
Satin Chrome	SC
Bright Chrome	CP
Brown	BRN



355 Double Cylinder Deadlock

Opened by key from outside and by turnknob from inside when free. Internal key locks or unlocks turnknob.

Finishes and Product Codes

Finish	Trade Pack	Display Pack
Gold Plated	—	355-NGLDDP
Satin Chrome	355-NSC	355-NSCDP
Bright Chrome	—	355-NCPDP
Brown	—	355-NBRNDP



ASSA ABLOY

Rimlocks

303 Deadlock

The security features provided by the 303 Deadlock makes it an ideal lockset for both domestic and commercial applications.

Features & Specifications

- Suitable for hinged or sliding doors
- Lockable turnknob with inbuilt clutching device to resist wrench attack
- Strong interlocking case and mounting plate to resist jemmy and hammer attack
- Tested in accordance with AS4145.2-1993
- Concealed fixing
- Positive deadlocking action
- The mechanism and the design are protected by Australian and International Patents and Design Registrations
- Available in Trade and Display Pack versions

Case:

- Thick walled, high purity zinc alloy casting;
- 121mm wide, 76mm high, 56mm projection

Backset:

- 60mm

Bolt:

- Stainless steel

Mounting Plate & Strike:

- Pressed steel

Case Retainer Plate & Operating Mechanism:

- Solid pressed steel and diecast
- Zinc components

Packing Plates:

- 3mm thick packing plates installed under lock body to align lock body with face of jamb

Strike Conversion Plate:

- A strike conversion plate is required where the strike is to be installed in place of an existing flange strike

Door Thickness:

- 30 to 45mm

Cylinders:

- 5 pin tumbler mechanism outside
- Brass cylinders and barrels

1300 LOCK UP (1300 562 587)
lockweb.com.au



Keying

Standard Keying:

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P


Special Keying:

- Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems
- To order, refer to page 21 for Special Keying Product Codes

Finishes

Satin Chrome

SC



303 Single Cylinder Deadlock

Opened by key from outside and by turnknob from inside


Finishes and Product Codes

Finish	Trade Pack	Display Pack
Satin Chrome	303-NSC	303-NSCDP
No Cylinder		
Satin Chrome	303-NSCNOCYL	

Deadlock Accessories


3mm Packing Plate

Finish	Trade Pack
Black	355-526BLK




Refrofit Flanged Strike Cover

Finish	Trade Pack
Gold Plated	355-552GLD
Satin Chrome	355-552SC
Bright Chrome	355-552CP
Brown	355-552BRN




Universal Strike Cover

Finish	Trade Pack
Satin Chrome	355-152NSC



Strike Loops

Finish	Trade Pack
Bright Chrome	355-53NCP
Satin Chrome	355-53NSC



Rimlocks

507 Series Fire Rated Nightlatch

The 507 Series Nightlatch is fire-rated to 4 hours, making it the ideal lockset for a range of commercial applications

Features & Specifications

- The Lockwood 507 Rim Night Latch has been fire rated up to 4 Hours on fire door assemblies in accordance with Australian standard AS 1905.1:1997, Part 1: Fire-resistant doorsets
- Steel case, strike and latch-bolt
- Designed for surface mounting on the inside of outward opening doors
- Available with standard box strike (RBP model) or open out strike (RBS model)
- Latch-bolt operated by key from outside and by turn from inside
- Available in trade pack only

Case:

- Steel

Backset:

- 60mm

Bolt:

- Steel

Door Thickness:

- 32mm to 60mm

Keying


- Supplied Less Cylinder

Cylinder (ordered separately)

- Lockwood 201 Cylinder
- 5 pin tumbler mechanism

Finish

Satin Chrome SCP



507 Series Nightlatch

Opened by key from outside and by turnknob from inside.

Product Code	
507RBS SCP	(Open out strike)
507RBP SCP	(Box strike)
201CYLSC	(Lockwood cylinder)

509 Series Nightlatch

Commercial grade nightlatch with inside snib designed for surface mounting on the inside of outward opening doors

Features & Specifications

- Inside snib may be used to hold back latch-bolt
- Steel case and strike
- Available with standard box strike (RBP model) or open out strike (RBS model)
- Bolt hold-back function activated by snib
- Latch-bolt operated by key from outside and by turn from inside
- Available in trade pack only

Case:

- Steel

Backset:

- 60mm

Bolt:

- Brass

Door Thickness:

- 32mm to 60mm

Keying

- Supplied Less Cylinder


Cylinder (ordered separately)

- Lockwood 201 Cylinder


Finish

Satin Chrome

SCP



Open out strike



Box strike

509 Series Nightlatch

Opened by key from outside and by turnknob from inside.

Product Code

509RBS SCP (Open out strike)

509RBP SCP (Box strike)

201CYLSC (Lockwood cylinder)

Rimlocks

201 Nightlatch

Application

- A general purpose nightlatch with inside snib
- Opened by key from outside and by turnknob inside
- Inside snib may be used to hold back or deadlock bolt, so that key will not operate
- Available in Trade and Display Pack versions

Features & Specifications

Case:

- High purity zinc alloy
- 92mm wide, 64mm high, 43mm projection

Backset:

- 60mm

Bolt:

- Brass
- Reversible
- 13mm projection

Door Thickness:

- 28 to 45mm

Cylinder:

- 5 pin tumbler mechanism
- Brass cylinder and brass barrel

Keying

Standard Keying:

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Special Keying:

- Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems
- To order, refer to page 21 for Special Keying Product Codes




Open-Out Strike

Part Number SP201-67SC.

201 Nightlatch

Finishes and Product Codes

Finish	Trade Pack	Display Pack
Florentine Bronze Cylinder	201FB	201FBDP
Bright Chrome Cylinder	201CP	201CPDP
No Cylinder		
Brown	201NOCYL	



100 Nightlatch

Application

- General purpose nightlatch
- Opened by key from outside and by turnknob inside
- Bolt may be held back by turning knob in clockwise direction
- Available in Trade and Display Pack versions

Features & Specifications

Case:

- High purity zinc alloy
- 92mm wide, 64mm high, 43mm projection

Backset:

- 60mm

Bolt:

- Brass
- Reversible
- 13mm projection

Door Thickness:

- 28 to 45mm

Cylinder:

- 5 pin tumbler mechanism
- Brass cylinder and brass barrel

Keying

Standard Keying:

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Special Keying:

- Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems
- To order, refer to page 21 for Special Keying Product Codes




Open-Out Strike

Part Number SP201-67SC.

100 Nightlatch

Finishes and Product Codes

Finish	Trade Pack	Display Pack
Florentine Bronze Cylinder	100FB	100FBDP
Bright Chrome Cylinder	100CP	100CPDP
No Cylinder		
Brown	100NOCYL	



ASSA ABLOY

Rimlocks

211 Streamlatch

Application

- Medium security general purpose streamlatch
- Opened by key from outside and turnknob inside
- Inside snib may be used to hold back or deadlock bolt so that key will not operate
- Available in Trade Pack only

Features & Specifications

Case:

- High purity zinc alloy
- 92mm wide, 64mm high, 43mm projection

Backset:

- 60mm.

Bolt:

- Brass
- Reversible
- 13mm projection

Door Thickness:

- 28 to 45mm

Cylinder:

- 5 pin tumbler mechanism
- Brass cylinder and brass barrel

Keying

Standard Keying:

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Special Keying:

- Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems
- To order, refer to page 21 for Special Keying Product Codes




Open-Out Strike

Part Number SP201-67SC.

211 Streamlatch

Finishes and Product Codes

Finish	Trade Pack
Bright Chrome all over	211CPAO
Satin Chrome all over	211SCAO
No Cylinder	
Satin Chrome all over	211SCAONOCYL



200 Narrow Stile Streamlatch

Application

- General purpose streamlatch designed to suit narrow stile doors
- Opened by key from outside and turnknob inside
- Inside snib may be used to hold back or deadlock bolt so that key will not operate
- Available in Trade Pack only

Features & Specifications

Case:

- High purity zinc alloy
- 92mm wide, 57mm high, 43mm projection

Backset:

- 38mm for narrow stile doors

Bolt:

- Brass
- Reversible
- 13mm projection

Door Thickness

28 to 45mm

Cylinder:

- 5 pin tumbler mechanism
- Brass cylinder and brass barrel

Keying

Standard Keying:

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Special Keying:

- Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems
- To order, refer to page 21 for Special Keying Product Codes




Open-Out Strike

Order part SP201-675C

200 Narrow Stile Streamlatch

Finishes and Product Codes

Finish	Trade Pack
Bright Chrome all over	200CPAO
Satin Chrome all over	200SCAO
No Cylinder	
Satin Chrome all over	200SCAONOCYL



Rimlocks

213 Streamlock Deadbolt

Application

- General purpose deadbolt;
- Locked or unlocked by key outside and by turnknob inside.
- Available in Trade Pack only.

Features & Specifications

Case:

- High purity zinc alloy;
- 92mm wide, 64mm high, 43mm projection.

Backset:

- 60mm.

Bolt:

- Brass;
- 16mm projection.

Door Thickness:

- 28 to 45mm.

Cylinder:

- 5 pin tumbler mechanism;
- Brass cylinder and brass barrel.

Keying

Standard Keying:

- Supplied individually keyed with two keys per lock;
- 78,000 key combinations;
- Key blank KB2015P.

Special Keying:

- Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems;
- To order, refer to page 21 for Special Keying Product Codes.

213 Streamlock Deadbolt

Finishes and Product Codes

Finish	Trade Pack
Bright Chrome all over	213CPAO
Satin Chrome all over	213SCAO

No Cylinder

Satin Chrome all over	213SCAONOCYL
-----------------------	--------------



201 Brass Cylinder

Application

- Suitable for all cylinder rim locks
- Solid extruded brass cylinder
- Solid extruded brass barrel
- 5 pin tumbler mechanism



Standard 201 Cylinder


Finishes and Product Codes

Finish	Trade Pack	Display Pack
Bright Chrome	201CYLCP	201CYLCPDP
Satin Chrome	201CYLSC	201CYLSCDP
Polished Brass	201CYLPBP	—
Florentine Bronze	—	201CYLFBDP

Heavy Duty 201 Cylinder

Finish and Product Code

Finish	Trade Pack
Satin Chrome	201-252SC



Keying Product Codes

Special Keying – Residential

Keyed Alike 5P	5KA
Keyed Alike 6P	6KA
Project Keyed 5P	5PK
Project Keyed 6P	6PK

Special Keying – Restricted

Keyed Alike	KA
Master Keyed	MK
Grand Master Keyed	GMK
Construction	CK

Specification Service

For all Architectural hardware specification assistance refer to your local ASSA ABLOY Sales Office.

A fully comprehensive, obligation free, Architectural Door Hardware specification can be prepared by Architectural Hardware Representatives.

Quality Endorsed Company

SAI Global operates a program which assesses the quality procedures and capabilities of an organisation in terms of the requirements of specific Australian and International Standards for Quality Systems. Following assessment by SAI Global,



ASSA ABLOY Australia Pty Limited, 235 Huntingdale Rd, Oakleigh VIC 3166, has been granted a certificate of registration as a quality endorsed company complying with the

requirements of AS 3902/ISO 9001 – Quality Systems for Production and Installation.

Disclaimer

Whilst every effort has been made to ensure that the information contained in this catalogue is accurate at the time of publication, ASSA ABLOY recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the catalogue or arising from the use or application of the information contained herein. This catalogue does not constitute an offer for the sale of any particular product.

Lockwood Guarantee and Care & Maintenance

Please go to lockweb.com.au for details on Lockwood Guarantee and product care & maintenance.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience



ASSA ABLOY



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

As the world's leading lock group, ASSA ABLOY offers a more complete product range of door opening solutions than any other company in the market.

Australia
1300 LOCK UP (1300 562 587)
lockweb.com.au

New Zealand
Telephone +64 9415 7888
assaabloy.co.nz

ASSA ABLOY Australia Pty Limited
235 Huntingdale Road,
Oakleigh Victoria, 3166
Australia

info.au@assaabloy.com
assaabloy.com.au

ASSA ABLOY New Zealand Ltd.
6 Armstrong Road
Albany, North Shore City, 0632
New Zealand

info.nz@assaabloy.com
assaabloy.co.nz

